

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 7,520,863
DATED : April 21, 2009
INVENTOR(S) : Grewe and Majercak

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 7 Line 45: A "N-directional" should be deleted and replaced with A bio-directional

MAILING ADDRESS OF SENDER:

Louis J. Capezzuto
Johnson & Johnson
One Johnson & Johnson Plaza
New Brunswick, NJ 08933-7003

PATENT NO. 7,520,863

No. of additional copies

⇒ 2

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 27 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you are required to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.